

The Most Favored Decorative Material Brand By Designers

WALL PANEL

FOSHAN HUIYI NEW MATERIAL TECHNOLOGY CO., LTD

Address: 4F, Building C, 109 Foshandadao Avenue North, Chancheng, Foshan

Website: WWW.FORONEHUIYI.COM

Email: sales@foronehuiyi.com

Contact: +86 400 902 0200 Code 7

FACTORY INTRODUCTION:

Foshan HUIYI New Material Technology Co., Ltd. was founded in 2018 with its factory located in Foshan, Guangdong. We aim to establish a brand that features "Beauty" in the space decoration industry. Our BPC boards and Shapes Panels are known for their diverse decorative designs and superior decoration results.

Our factory is spread over an area of 20,000m², with an annual production capacity of 3,000,000m², and more than 120 employees. We have modern and advanced equipment, including 16 extrusion lines, 13 wrapping machines, and 3 flat laminating machines, which have a daily output of 30,000m². Our professional R&D team includes 5 senior technical engineers with more than 10 years of industry experience and was awarded by the Research Institute of Material Engineering Sciences (RIMEC).

Many of our products have been awarded the environmental-friendly aldehyde-free certificate, flame retardant certificate, and other prestigious certificates to meet regulatory requirements. Our factory is a 3A-level quality credit enterprise unit. We have been awarded "The Most Favored Wall Decorative Material Brand By Designers", and have obtained the certificates of ISO9001, SGS, and CE.

We have more than 30,000m² base panel inventory and 500,000m² decorative film inventory. Our lead time for regular-size products is 10 days and customized-size products is 20 days.

Our brand "FORONE" provides a wide range of beautiful colors and products to enable designers to create aesthetics. To provide a superior living space experience, we have been collaborating with top-tier interior designers all over the world across different projects and product designs.

Better products, Better quality, Better service.

Decorative panel FORONE is the best choice of designers.

Designer

We have converted our plant into a laboratory to conduct research materials and processes together with our partners of designers and engineers. Our engineering and manufacturing experience transforms the materials looking to the future and maintaining a balance between sustainability, creativity, functionality, and beauty of the panels and boards made.

Ongoing investment into the latest technology improves our capacity to manufacture with greater growth, higher productivity, and an enhanced international positioning.

Using cutting-edge technology creates competitive advantages by optimizing advanced processes, greater performance formulas, and attractive surface finishes.


We are convinced that space and its aesthetic environment have a decisive influence on emotions, feelings, and mental health.

We aim to provide quality to people in their space, creating aesthetic environments to provide a joyful interior experience.





Designer
Adriana Bronzini,
Design Office Antti Kotilainen
was founded 1997 in Helsinki.
Specializing in interior product design,
and the studio also provides
furniture design as well as
complete visual concepts
ranging from graphic to spatial design.

MARBLE CONNECTED PATTERN SERIES




Bamboo BPC Panel

Base Material : Resin / Bamboo Charcoal Powder/ Calcium Powder / Processing AIDS
Surface Material : PET-G / PP / PVC
Fire Proof Rating : B1/B2
Formaldehyde Level: ENF/E0
Certification : CE, SGS, ECO, CNAS, ISO 9001
Application : Interior Wall & Ceiling Decoration



Container Loading (Estimate 2.8m)		
Thickness:	5mm	8mm
Length:	2.8m	2.8m
Width:	1220mm	1220mm
Panels/Pallet:	150 PCS	85 PCS
CBM/Pallet:	3.74	3.81
20'GP:	760 PCS	470 PCS
40'GP:	1520 PCS	940 PCS
40'HQ:	1760 PCS	1100 PCS

MARBLE CONNECTED PATTERN SERIES (Sell By Set)



Certifications





Explore More


Patterns
In The Color Catalog

Sincerely,




- UV Resistant
- wearproof
- easy clean
- anticorrosion
- seamless







MARBLE GLOSSY/MATTE SERIES



Base Material : Resin / Bamboo Powder/ Calcium Powder /
Processing AIDS
Surface Material : PET-G / PP / PVC
Fire Proof Rating : B1/B2
Formaldehyde Level: ENF/E0
Certification : CE, SGS, ECO, CNAS, ISO 9001
Application : Interior Wall & Ceiling Decoration



Standard Size




Container Loading (Estimate 2.8m)		
Thickness:	5mm	8mm
Length:	2.8m	2.8m
Width:	1220mm	1220mm
Panels/Pallet:	150 PCS	85 PCS
CBM/Pallet:	3.74	3.81
20'GP:	760 PCS	470 PCS
40'GP:	1520 PCS	940 PCS
40'HQ:	1760 PCS	1100 PCS

MARBLE GLOSSY SERIES




M / P-37C



M / P-038C




M / P-039C



M / P-042C




M / Q-31U




M / Q-32U



M / Q-33U



M / Q-34U



M / Q-35U



M / Q-36AU/Q-36BU



M / Q-168U



Q-167U



M / Q-168U



M / Q-168AU/Q-168BU



M / Q-170AU/Q-170BU



M / Q-171AU/Q-171BU




M / Q-172AU/Q-172BU

MATTE SLATE & ROCK SERIES



M / P-088R




M / P-090R




M / P-091R



M / P-038C



M / P-094Q



M / P-095Q

Certifications



NO:801063844849



NO:SHAHL23015568201





Explore More


Patterns
In The Color Catalog

Sincerely,

- UV Resistant
- wearproof
- easy clean
- anticorrosion
- seamless




METAL SERIES




Bamboo BPC Panel

Base Material : Resin / Bamboo Powder/ Calcium Powder /
Processing AIDS
Surface Material : PET-G / PP / PVC
Fire Proof Rating : B1/B2
Formaldehyde Level: ENF/E0
Certification : CE, SGS, ECO, CNAS, ISO 9001
Application : Interior Wall & Ceiling Decoration




Standard Size



Customize
Height
Available

Container Loading (Estimate 2.8m)		
Thickness:	5mm	8mm
Length:	2.8m	2.8m
Width:	1220mm	1220mm
Panels/Pallet:	150 PCS	85 PCS
CBM/Pallet:	3.74	3.81
20'GP:	760 PCS	470 PCS
40'GP:	1520 PCS	940 PCS
40'HQ:	1760 PCS	1100 PCS

AGED METAL MATTE SERIES




M / P-068L

M / P-067L

M / K01-HM011R

M / K01-HM012R

METAL BRIGHT SERIES



M / P-020K


M / P-018K

M / P-013K

M / P-014K

M / P-016K


METALLIC CIRCLE SERIES



M / Q-95V

M / Q-96V

METALLIC CIRCLE SERIES



M / P-050Y

M / P-052Y

M / P-051Y

METALLIC BRUSH SERIES



M / Q-97V

M / Q-98V

TITANIUM METAL SERIES



M / P-060K

M / P-027K

M / P-028K

M / P-029K

METAL MATTE SERIES



M / Q-182L

M / Q-179L

M / Q-180L

M / Q-183L


M / Q-178L

M / Q-181L

Certifications



Case Studies





Explore More


Patterns
In The Color Catalog

Sincerely,

- UV Resistant
- wearproof
- easy clean
- anticorrosion
- seamless




WOOD SCRATCH-RESISTANT SERIES




Bamboo BPC Panel



Base Material : Resin / Bamboo Powder/ Calcium Powder /
Processing AIDS
Surface Material : PET-G / PP / PVC
Fire Proof Rating : B1/B2
Formaldehyde Level: ENF/E0
Certification : CE, SGS, ECO, CNAS, ISO 9001
Application : Interior Wall & Ceiling Decoration




Standard Size



WOOD SCRATCH-RESISTANT SERIES



FABRIC EASY CLEAN SERIES



REGULAR FABRIC SERIES



Certifications



Container Loading (Estimate 2.8m)		
Thickness:	5mm	8mm
Length:	2.8m	2.8m
Width:	1220mm	1220mm
Panels/Pallet:	150 PCS	85 PCS
CBM/Pallet:	3.74	3.81
20'GP:	760 PCS	470 PCS
40'GP:	1520 PCS	940 PCS
40'HQ:	1760 PCS	1100 PCS





Explore More

Patterns
In The Color Catalog


Sincerely,

- UV Resistant
- wearproof
- easy clean
- anticorrosion
- seamless



METAL SERIES

Within a project, there are always different corners and connections that need to be resolved. A complete panels & board system with abundant profile options will provide more options for final results and easier solutions.




Extremely narrow Category



Skirting Line (Baseboard) Category




Skirting Line (Baseboard) Category





Explore More

Profiles Options
In Our System Or Web


Edge Trimming Category




Decorative Category




Edge trims with lighting Category




Aluminum Skirting Board















Decoration category



























In today's trend toward simplicity and seamless interiors, a fully color-matched aluminum profile system offers limitless design possibilities. With a wide range of profile options to address every connection detail, it ensures a flawless finish, enhances visual continuity, and simplifies installation—bringing both beauty and efficiency to modern interior spaces.












Ultra-slim Sharp Outer Corner	8 Small Round Outer Corner	Petal-shaped Inner Corner
		
		
36 Medium Round Inner Corner	50 Medium Outer Corner	110 Large Round Inner Corner
		
		

Same color hardware


Ultra-slim Single Edge Trim	Adjustable U-Profile
	
	
Same Level Single Edge Trim	Multi-width U Profile
	
	
Ultra-slim Double Edge Trim	Aluminum Hidden Trim
	
	
Ultra-slim Line Trim	
	
	

104 Stepped Lighting Profile	37 Lighting Skirting Board
	
	
120 Round Inner Corner	
	
	


Edge Types & Connection Types

									
	Flat Edges	BB Stitching Double Groove	AB stitching SimpleLock Edge	AB stitching Interlock Edges	Pillowed Edges (V-shaped)	Pillowed Edges (U-shaped)	BB Stitching Fold In Groove	Three Face Cover	Six Face Cover
PVC	√	√	√	√	√	√	√	√	√
PP	√	√	√	√	×	×	×	×	×
PETG	√	√	√	√	×	×	×	×	×


Base Layer Options



Diverse Size Combinations




Flexible Rotate Shapes




MODEL: 41BTH

FRONT SIZE AFTER INSTALLATION :
41mm(W)*3000mm(H)




Pack Info		
Panels/Box:	20	
CBM/Box:	0.10	
Container Loading (Estimate 2.8m)		
20'GP:	260BOX	5280PCS
40'GP:	490BOX	9760PCS
40'HQ:	490BOX	9760PCS


Texture Selection



Fluted Shapes



MODEL: 160GS



FRONT SIZE AFTER INSTALLATION :
160mm(W)*3000mm(H)

Pack Info		
Panels/Box:	14	
CBM/Box:	0.11	
Container Loading (Estimate 2.8m)		
20'GP:	260BOX	3700PCS
40'GP:	530BOX	7400PCS
40'HQ:	580BOX	8060PCS


Texture Selection




Application Area

HOTEL HOME LIBRARY SCHOOL MALL
SUPERMARKET OFFICE CLUB CATERING

Fluted Shapes




MODEL: 139XGS

FRONT SIZE AFTER INSTALLATION:  139mm(W)*3000mm(H)

Pack Info		
Panels/Box:	20	
CBM/Box:	0.10	
Container Loading (Estimate 2.8m)		
20'GP:	260BOX	5280PCS
40'GP:	500BOX	10080PCS
40'HQ:	500BOX	10080PCS


Texture Selection




Application Area

HOTEL HOME LIBRARY SCHOOL MALL
SUPERMARKET OFFICE CLUB CATERING







90WYCC



FRONT SIZE AFTER INSTALLATION:
90mm(W)*3000mm(H)



100SXXGS




FRONT SIZE AFTER INSTALLATION:
100mm(W)*3000mm(H)




127SXLGGS




FRONT SIZE AFTER INSTALLATION:
127mm(W)*3000mm(H)




128CHB




FRONT SIZE AFTER INSTALLATION:
128mm(W)*3000mm(H)




150XCC



FRONT SIZE AFTER INSTALLATION:
150mm(W)*3000mm(H)



150GYB




FRONT SIZE AFTER INSTALLATION:
150mm(W)*3000mm(H)




160SXZHGS




FRONT SIZE AFTER INSTALLATION:
160mm(W)*3000mm(H)




196ZHCCB




FRONT SIZE AFTER INSTALLATION:
196mm(W)*3000mm(H)




195DCC



FRONT SIZE AFTER INSTALLATION:
195mm(W)*3000mm(H)




302GTB




FRONT SIZE AFTER INSTALLATION:
302mm(W)*3000mm(H)

Waves Shapes




MODEL: 60YYB

FRONT SIZE AFTER INSTALLATION:
60mm(W)*3000mm(H)





Texture Selection




Application Area

HOTEL HOME LIBRARY SCHOOL MALL
SUPERMARKET OFFICE CLUB CATERING







120BYB




FRONT SIZE AFTER INSTALLATION:
120mm(W)*3000mm(H)




110XSNYB




FRONT SIZE AFTER INSTALLATION:
110mm(W)*3000mm(H)




125WLB




FRONT SIZE AFTER INSTALLATION:
125mm(W)*3000mm(H)




140BLB




FRONT SIZE AFTER INSTALLATION:
140mm(W)*3000mm(H)




150XSJB




FRONT SIZE AFTER INSTALLATION:
150mm(W)*3000mm(H)




170NOB




FRONT SIZE AFTER INSTALLATION:
170mm(W)*3000mm(H)




300BLB




FRONT SIZE AFTER INSTALLATION:
300mm(W)*3000mm(H)




206SXBGZSQB




FRONT SIZE AFTER INSTALLATION:
206mm(W)*3000mm(H)




200YLB



FRONT SIZE AFTER INSTALLATION:
200mm(W)*3000mm(H)



44YYB



FRONT SIZE AFTER INSTALLATION:
44mm(W)*3000mm(H)




Inner Arc




Outer Arc

Semicircle Shapes



MODEL: 150XBY

FRONT SIZE AFTER INSTALLATION:  150mm(W)*3000mm(H)


Pack Info		
Panels/Box:	14	
CBM/Box:	0.09	
Container Loading (Estimate 2.8m)		
20'GP:	270BOX	4010PCS
40'GP:	570BOX	8010PCS
40'HQ:	600BOX	8430PCS


Texture Selection




Application Area

HOTEL HOME LIBRARY SCHOOL MALL
SUPERMARKET OFFICE CLUB CATERING







146BGZBLB




FRONT SIZE AFTER INSTALLATION:
146mm(W)*3000mm(H)




160BYB




FRONT SIZE AFTER INSTALLATION:
160mm(W)*3000mm(H)




170DBY




FRONT SIZE AFTER INSTALLATION:
170mm(W)*3000mm(H)




195WYB




FRONT SIZE AFTER INSTALLATION:
195mm(W)*3000mm(H)




226YHB




FRONT SIZE AFTER INSTALLATION:
226mm(W)*3000mm(H)




145SXXBYB




FRONT SIZE AFTER INSTALLATION:
145mm(W)*3000mm(H)




100SXXBY




FRONT SIZE AFTER INSTALLATION:
100mm(W)*3000mm(H)




150SXBGZBLB



FRONT SIZE AFTER INSTALLATION:
150mm(W)*3000mm(H)



160SYB




FRONT SIZE AFTER INSTALLATION:
160mm(W)*3000mm(H)

Explore More


Shapes
In Latest Designs

Sincerely,

Other Shapes



101XSJ




FRONT SIZE AFTER INSTALLATION:
101mm(W)*3000mm(H)




150JZT



FRONT SIZE AFTER INSTALLATION:
150mm(W)*3000mm(H)



201ZHSJB




FRONT SIZE AFTER INSTALLATION:
201mm(W)*3000mm(H)


Explore More

Shapes
In Latest Designs

Sincerely,




120PB



FRONT SIZE AFTER INSTALLATION:
120mm(W)*3000mm(H)




180ZSB




FRONT SIZE AFTER INSTALLATION:
180mm(W)*3000mm(H)



Connection and Finish Methods




External Corner



Aluminum Profile Finish




Shapes Panel Joint With Shapes Panel




Shapes Panel Joint With Flat Board



Same Color BPC Profile Finish




MODEL: 25*25L




FRONT SIZE AFTER INSTALLATION:
25mm(W)*3000mm(H)




MODEL: End Cap
(Can Customize Same Color)



FRONT SIZE AFTER INSTALLATION:
7mm(W)*3000mm(H)




MODEL: 50ZJB





FRONT SIZE AFTER INSTALLATION:
50mm(W)*3000mm(H)

PRODUCT DESCRIPTION



Base Material : Resin / Bamboo Powder/ Calcium Powder /
Processing AIDS
Surface Material : PVC
Fire Proof Rating : B1/B2
Formaldehyde Level: ENF/E0
Certification : CE, SGS, ECO, CNAS, ISO 9001
Application : Interior Wall & Ceiling Decoration



Certifications



INSTALLATION ENVIRONMENTS



Directly Install On Wall
with Structural Adhesive



Add Studs
If Wall Not Flat



Steel Frame + Studs
Base Board Not Required



Bendable & Flexible
Grooving On Back of Panel
(Optional)

CEILING INSTALLATION ENVIRONMENTS



Directly On
Steel Frame



Directly On
Wood Frame



Add Metal Clips
In The Edge

INSTALLATION MATERIALS



Structural Adhesive

INSTALLATION TOOLS



Trimming Machine



Hot Wind Machine



Portable Cutting Machine



Portable Cutting Table

MARKETING PROMOTION TOOLS AND SERVICES

HUIYI is not only a leader in wall panel manufacturing but also built "FORONE" the top-tier brand in the wall panels industry, achieved by having a great team of marketing, design, and material engineering experts. The following are crucial tools and services provided by the team.

1. Promotion advice and problem-solving. Tutorials to the sales team.
2. Product samples with customized promotional packaging boxes and tools. Physical product catalogs and color swatches. Can customize own brand information.
3. Installation instruction video and tutorial. The product introduces and explains videos for learning and presenting.
4. High-resolution color pattern pictures and online promotion tools are available. Digital product catalogs and color catalogs can customize own brand information.
5. Provide necessary panels processing machines, accessories, and installation tools.